


# Fire Test Certificate - Specimen

Fabric: Premium Molton 4.0

Type: NFPA 701

**J&C Joel**   
Inspiration in every performance



**DIVERSIFIED**  
TESTING LABORATORIES, INC.  
WORLDWIDE SERVICE

336 WEST FRONT STREET  
P.O. BOX 4004  
BURLINGTON, NORTH CAROLINA 27215  
PHONE (336) 227-7710 • FAX (336) 227-1175  
www.diversifiedtestinglabs.com

"We Test Per Your Request"

February 21, 2023

Reference: Laboratory Test Report  
Lab Identification No. 53900  
Invoice No. 85178

Dear Ms. Both:

One (1) fabric sample, identified as **Article 9719 FR DF Cotton/Viscose PRO Commando**, was received and tested in accordance with the National Fire Protection Association No. 701, "Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, 2023 Edition, (Test 1)". The results are as follows:

### Test Results

<u>Specimen Number</u>	<u>Residual Flame</u> (seconds)	<u>Weight Loss</u> (percent)
1	0.0	13.21
2	0.0	13.25
3	0.0	14.17
4	0.0	12.41
5	0.0	13.23
6	0.0	13.50
7	0.0	11.65
8	0.0	9.79
9	0.0	13.39
<u>10</u>	<u>0.0</u>	<u>13.09</u>
<b>AVG</b>	<b>0.0</b>	<b>12.77</b>

The sample submitted **meets** the minimum requirements of the above standard. The average percent weight loss cannot exceed 40% and the weight loss of individual specimens cannot exceed mean value plus three standard deviations. The average residual flame cannot exceed 2.0 seconds.

Sincerely,


Brian S. Dement

BSD/mr




OUR LETTERS AND REPORTS ARE FOR THE EXCLUSIVE USE OF THE CLIENT TO WHOM THEY ARE ADDRESSED. ANY COMMUNICATION TO OTHERS OR THE USE OF OUR COMPANY NAME MUST RECEIVE PRIOR APPROVAL. OUR TEST RESULTS APPLY ONLY TO THE SAMPLE TESTED AND ARE NOT NECESSARILY INDICATIVE OF THE QUALITIES OF APPARENTLY IDENTICAL OR SIMILAR PRODUCTS. UNLESS OTHERWISE SPECIFIED, ALL COMPLIANCE STATEMENTS ARE SIMPLE ACCEPTANCE. SAMPLES NOT DESTROYED IN TESTING ARE RETAINED A MAXIMUM OF THIRTY DAYS. THE LETTERS, REPORTS OR NAME OF DIVERSIFIED TESTING LABORATORIES, INC. MAY NOT BE USED IN ADVERTISING TO THE GENERAL PUBLIC.


 United Kingdom

 +44 1422 833835

 [uksales@jcjoel.com](mailto:uksales@jcjoel.com)

 United Arab Emirates

 +971 4 884 7801

 [menasales@jcjoel.com](mailto:menasales@jcjoel.com)

[www.jcjoel.com](http://www.jcjoel.com)