Fire Test Certificate - Specimen

Fabric: Norland
Type: EN13501-1

J&C Joel
Inspiration in every performance

Trevira
An Indorama Ventures Company

Approval of the Trademark Trevira CS®

Application No.:	230180.3 / 230181.3 / 230182.3
Date of issue:	19.04.2023
Valid until:	06.04.2028
Article name:	7773 Valentino CS
End use:	Drapes Curtains Upholstery fabrics Wall coverings Transport sector
Square weight (g/m²): According to customer specification	500
Composition of the raw materials:	Polyester 100%
Composition of the fabric:	Trevira CS 100%

SPECIMEN

The collection "7773 Valentino CS" is granted approval for the trademark Trevira CS® for interior use.

The approval of the collection is based on the trademark test results of application no. 230180 (col. 2101) / 230181 (col. 3500) / 230182 (col. 4116).

This collection has been tested according to DIN 4102 part 1, 6.2 and thus also meet the requirements for fire class DIN 4102-B1.

This collection has been tested according to EN 1101 and thus also meets the requirements for class 1 according to EN 13773.

This collection was tested according to EN 1101 and thus also meets the requirements for class 1 according to EN 13773.

This collection meets the requirements according to EN 1021-1 and -2:2014 in conjunction with polyurethan foams with a density of more than 30 kg/m³.

This collection qualifies for class B-s1, d0 according to the European Standard EN 13501-1.
Trevira CS has been approved by the DIBt with the General Building Inspectorate Approval, Approval No. Z-56.25-3573 dd. 24 April 2018.

Trevira GmbH, Trademark Service, Max-Fischer-Straße 11, 86399 Bobingen, Germany
E-Mail: trademark.service@trevira.com

United Kingdom
+44 1422 833835
uksales@jcjoel.com

United Arab Emirates
+971 4 884 7801
menasales@jcjoel.com

www.jcjoel.com

Trevira
An Indorama Ventures Company

This collection meets also the requirements according to ÖNORM B 3825 in conjunction with suitable combustion modified foams.

This collection can meet the requirements according to ÖNORM A 3800-1 part 1, class B1, fume formation class Q 1 and droplet formation class TR1.

This collection can also meet the requirements for the fire index BKZ 5.3 (BKZ = fire index, combustibility 5 = flame retardant, level of smoke emission 3 = low smoke emission) according to the Swiss standard SN 198898.

This collection also the requirements for class 1 according to the Italian Standards UNI 8456 and UNI 8457.

This collection also the requirements according to the Italian standard UNI 9175, class 1 IM in conjunction with suitable combustion modified foams.

This collection also the requirements according to British Standard BS 5867 part 2 type C.

This collection also the requirements according to British Standard BS 5852 ignition source 0 (cigarette), ignition source 1 (match) and ignition source (crib 5) in conjunction with suitable combustion modified foams (at least 50 kg/m³). Thus meets the classification according to BS 7176 "Medium Hazard".

This collection also meets the requirements according to the North American standard NFPA 701: 2010 Test Method #1 (based on the Test Reports Govmark, New York No. 2-94779, 2-94780, 2-94781).

This collection also meets the requirements for class I according to the North American standard NFPA 260 for upholstered furniture (based on the Test Reports no. 10-002-775 A + B dated 24.11.2010).

This collection can meet the requirements according to California TB 117-2013, section 1 - cover fabric.

Trevira GmbH
(This document is valid without signature.)

SPECIMEN

United Kingdom
+44 1422 833835
uksales@jcjoel.com

United Arab Emirates
+971 4 884 7801
menasales@jcjoel.com

www.jcjoel.com