Joel Acoustic Dance

Perfect For: • Decorative/Scenic • Film & TV • Stage





the inspiration behind the performance

Contents



Composition & Care

200 cm 3

Fire Certificate

BS4790 4

EN13501-1 7

TECHNICAL



NDFR

Non Durably Flame Retardant

chemically treated with a water solution and if wetted in any way should be retreated



DFR

Durably Flame Retardant

chemically treated to withstand a number of cleanings



IFR

Inherently Flame Retardant

woven from fibres with a high flame retardancy



FR

Flame Retardant

chemically treated to an individual specification



NOT FR

Not Flame Retardant no flame retardant treatment



Confirmation that the fabric meets one or more flame retardant standards

BS5867 BS5867 Pt2 B is the British Standard for flame retardant fabrics used for curtains and drapes

BS5852 BS5852 Pt1 is the British Standard for flammability of upholstered composites for seating

BS4790 BS4790: 1987 Determination of the effects of a small source of ignition on textile floor coverings hot metal nut method (method 1, loose laid)

EN13773: 2003 Meets European fire safety standards for vertically hung fabrics. Burning behavior, ignitability testing of curtain fabric for use in the contract market.

TL 1080-0002/8 German Military Specification for horizontally tested materials

EN14041 Details the requirement for CE Marking of textiles, laminate and resilient floor coverings

BS7905-1:2001 Lifting equipment for performance, broadcast and similar applications.

ATTRIBUTES



Approx roll length of material in linear metres (m) & feet (ft)



Approx width of material in centimetres (cm) & inches (")



Approx weight in grams per metre squared (g/m²)



Approx thickness in (mm)

M1, M2, M4 Conforms to French Fire Regulations

B1, B2 Conforms to German Fire Regulations DIN 4102

IMO Conforms to International Maritime Organisation regulations

Classe Uno Meets Italian Fire Regulations

BS EN13501-1 Fire Classification of construction, products and building elements. Classification using test data from reaction to fire tests

CFC EN ISO 9239-1 Reaction to fire test. Horizontal surface spread of flame on floor covering system. Determination of the burning behaviour using a retardant heat source

NFPA 701 NFPA 701: (USA) Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

EN9239-1 Reaction to fire tests – horizontal surface spread of flame on floor covering systems

DIN EN1021 Meets European fire safety standards for exposure to different ignition sources, namely a lit cigarette and butane flame. Assessment of the ignitability of upholstered furniture

Datasheet - Fabrics & Flooring

Joel Acoustic Dance



To ensure you get the best from the product supplied to you, we advise you follow the care instructions within this datasheet.

	Flame Retardancy	DFR
	Fire Certification	EN1350-1, BS4970
Fabric	Brand Name (and Manufacturer)	J&C Joel Ltd.
Œ.	Material (Blending Ratio)	Vinyl, Glass Fibre Reinforced
	Construction of Fabric	Non-Woven
	Surface Treatments	None
cals	Brand Name of Flame Retardant Chemicals	N/A
Chemicals	Chemical name of Flame Retardant Chemicals	Phosphorus Compound
	Process of Flame Retardant Chemicals	Mixed Into Mass
Care	Information	Durably Flame Retardant. This means that this type of flooring is chemically treated to meet the flammability requirements of EN1350-1 and BS4790. FR properties will be maintained if subject to moisture. For cleaning use an Alkaline PVC compatible detergent.
	Laundering Treatment	Do Not Dry Clean Do Not Wash Do Not Bleach Do Not Iron Do Not Tumble Dry
Notes		



Fire Rating:



Approx Roll Length: 25cm / 82ft



Width: 200cm / 79"



weight: 2200 g/m²



Fire Certification: EN1350-1, BS4790



Colours Available

For further information please contact our sales team sales@jcjoel.com

Fabric: Joel Acoustic Dance

Type: BS4790





Wira House, West Park Ring Road, Leeds, LS16 6QL, UK. Telephone: +44 (0)113 259 1999

Email: info@bttg.co.uk
Website: www.bttg.co.uk

Date: 14 August 2017

Our Ref: 53645-15 Your Ref: -

Page: 1 of 3

Client:

J. & C. Joel Limited Corporation Mill Corporation Street Sowerby Bridge Halifax HX6 2QQ

Job Title:

Hot Metal Nut Test

Client's Order No:

Date of Receipt: Date of Test Start: 16 June 2017 21 June 2017

Description of Sample(s):

One sample identified as follows was received for testing:

Joel Acoustic Dance, stated to be DFR

Work Requested:

We were asked to make the following test:

Fire test according to BS 4790:1987 (2014)



Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, L516 6QL.

A company registered in England & Wales with company number 04669651. VAT Number GB 816764800.

The supply of all goods and services is subject to our standard terms of business, copies of which are a valiable on request.

Our laboratories are accredited to EN ISO/IEC 17025.

Copyright © 2017 Shirley Technologies Limited. All rights reserved.

Fabric:

Joel Acoustic Dance

Type:

BS4790



the inspiration behind the performance



Wira House, West Park Ring Road, Leeds, LS16 6QL, UK. Telephone: +44 (0)113 259 1999

Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>

Date:

14 August 2017

Our Ref: Your Ref: 53645-15

Page:

2 of 3

J. & C. Joel Limited

Sample was identified as follows:

Joel Acoustic Dance, stated to be DFR

FIRE TESTS ACCORDING TO BS 4790:1987 (2014)

Determination of the effects of a small source of ignition on textile floorcoverings, (Hot Metal Nut Method)

Procedure

The sample was tested according to the above standard. The sponsor sampled the material and the specimens were cut from the sample received to the dimensions set out in the standard by BTTG.

Requirements

The results were classified according to BS 5287:1988 (2014) - 'Assessment and Labelling of Textile floorcoverings tested to BS 4790' The full descriptions of the classifications, abbreviated to low, medium or high in the table of results, are as follows:-

low radius of effects of ignition (up to 35mm) medium radius of effects of ignition (40 to 75mm) high radius of effects of ignition (80mm or over).

Results

Class	Greatest radius of char		Duration of
	Back (mm)	Face (mm)	Flaming (s)
Low	15	20	38
Low	15	20	35
Low	15	20	38



[mulum]

Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL.
A company registered in England & Wales with company number 04669551. VAT Number 68 816764800.
The supply of all goods and services is subject to our standard terms of business, copies of which are available on request.
Our laboratories are accredited to EN ISO/IEC 17025.

Copyright © 2017 Shirley Technologies Limited. All rights reserved.

Fabric: Joel Acoustic Dance

Type: BS4790





Wira House, West Park Ring Road, Leeds, LS16 6QL, UK. Telephone: +44 (0)113 259 1999 Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>

Date:

14 August 2017

Our Ref: Your Ref: 53645-15

Page:

3 of 3

J. & C. Joel Limited

Note

The test results relate only to the behaviour of the test specimens after application of a small source of ignition; they shall not be used as a means of assessing how the product will contribute to an established fire

The test was carried out on specimens loose laid onto 6mm calcium silicate non-combustible backing boards, in accordance with mounting method 1.

Please note that a high classification is the worst result and a low classification is the best result. Also the end result is based on the worst specimen of the three specimens tested.

... Countersigned By:
P Doherty

P Doherty Operational Head

Enquiries concerning this report should be addressed to Customer Services.



Shirley* Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL.

A company registered in England & Wales with company number 04669551. VAT Number GB 816764800.

The supply of all goods and services is subject to our standard terms of business, copies of which are available on request.

Our laboratories are accredited to By IsO/IEC 17025.

Copyright © 2017 Shirley Technologies Limited. All rights reserved.

Fabric:

Joel Acoustic Dance

Type:

EN13501-1





Report VN710 133282.2 Classification Report



Application

Classification of the burning behaviour according to EN 13501-1.

Material used in testing was anonymized for laboratory purposes. A detailed sample list is contained in the report.

Issuing and Signatures

Number of pages contained: 5 Original Issue / Vienna 09.10.2017 / AA / 167

Authorised for Institute Ing. Hannes Vittek

i.V. auboch

ÖTI - Institut für Ökologie, Technik und Innovation GmbH | Spengergasse 20, 1050 Vienna, Austria tel +43 1 5442543-0 | fax +43 1 5442543-10 | email office@oeti.at | FN 326826b | VAT No. ATU65149029 UniCredit Bank Austria AG | IBAN AT941200023410378800 | BIC BKAUATWW | EORI ATEOS1000015903 Es gelten ausschließlich unsere Allgemeinen Geschäftsbedingungen | Only our general terms and conditions apply Member of TESTEX Group

UK Europe Middle East Vietnam Macau Hong Kong

Fabric: Joel Acoustic Dance

Type: EN13501-1



VN710 133282.2 + 2/5

Contents

1	Order	. 2
1.1	Chronology	2
2	Introduction	3
3	Details of classified building product	3
3.1	General	3
3.2	Description of the building product	3
4	Test reports and test results for the proof of the classification	3
4.1	Test report	
4.2	Test results	3
5	Classification and field of application	4
5.1	Reference for classification	4
5.2	Classification	
5.3	Field of application	4
6	Limitations	4
6.1	Notice	4
7	Remarks	5

1 Order

1.1 Chronology

Date Received Order

13.09.2017 18.09.2017 Classification of the burning behaviour according to EN 13501-1.

ÖTI - Institut für Ökologie, Technik und Innovation GmbH | Spengergasse 20, 1050 Vienna, Austria tel +43 1 5442543-0 | fax +43 1 5442543-10 | email office@oeti.at | FN 326826b | VAT No. ATU65149029 UniCredit Bank Austria AG | IBAN AT941200023410378800 | BIC BKAUATWW | EORI ATEOS1000015903 Es gelten ausschließlich unsere Allgemeinen Geschäftsbedingungen | Only our general terms and conditions apply

Member of TESTEX Group

Fabric: Joel Acoustic Dance

Type: EN13501-1



VN710 133282.2 + 3 / 5

2 Introduction

This classification report defines the classification assigned to the building product in accordance with the test methods fixed in EN 13501-1

3 Details of classified building product

3.1 General

The building product is defined as flooring, the classification is valid for the end use application described under point 5.3.

3.2 Description of the building product

Material (of wear layer):	PVC (according to the specification by the applicant)
Construction:	heterogeneous
Constitution of wearlayer:	non transparent wear layer
Type of floor covering:	smooth floor covering
Structure of wearlayer:	grained surface
Colouring:	plain
Dimensions:	rolls

 $^{^{\}star}$) determined on a sample of 20 x 20 cm

The submitted specimen is a PVC-floor covering with foam layer according to EN 651.

4 Test reports and test results for the proof of the classification

4.1 Test report

ÖTI
VN710 133282.1
09.10.2017
EN ISO 11925-2 and EN ISO 9239-1

4.2 Test results

	Test results (Mean Value)	Number of tests
Ignitability, EN ISO 11925-2		
Flame spread ≤ 150 mm	yes	6
Burning behaviour, EN ISO 9239-1		
Critical radiant flux	10,6 kW/m ²	3
Integral of smoke obscuration	68 %.min	3

ÖTI - Institut für Ökologie, Technik und Innovation GmbH | Spengergasse 20, 1050 Vienna, Austria tel +43 1 5442543-0 | fax +43 1 5442543-10 | email office@oeti.at | FN 326826b | VAT No. ATU65149029 UniCredit Bank Austria AG | IBAN AT941200023410378800 | BIC BKAUATWW | EORI ATEOS1000015903 Es gelten ausschließlich unsere Allgemeinen Geschäftsbedingungen | Only our general terms and conditions apply Member of TESTEX Group

Fabric: Joel Acoustic Dance

Type: EN13501-1



VN710 133282.2 + 4 / 5

5 Classification and field of application

5.1 Reference for classification

This classification has been carried out in accordance with EN 13501-1

5.2 Classification

Due to the results of the tests carried out, the building product as following.

can be classified

Burning behaviour	Smoke emission
B _{fl}	s1
Classification	
В	_{ff} -s1

5.3 Field of application

The classification is valid for the building product described in point 3 under the following end use conditions.

Application	Horizontal laid floor covering in in form of rolls
Subfloors	Not burnable subfloors of euroclass A1 $_{\rm fl}$ or A2 $_{\rm fl}$ with a density of at least 1350 kg/m³.
Installation	glued
Adhesive	"Eurocol 643", Type: dispersion adhesive, Producer: Forbo or similar. Note: According to EN13501-1 the stated classification is valid for the tested floor covering together with the tested adhesive, as well as for all other adhesives of the same generic type as the tested adhesive.

6 Limitations

6.1 Notice

This classification document does not represent type permission or certifying the product.

If a building product should be CE marked according to system 3 of the attestation of conformity systems, the classification stated with this report is suitable as a basis for the declaration of the producer according to the attestation of conformity system 3, together with a CE marking in the context of the directive relating to construction products.

If the manufacturer plans a CE marking in connection with conformity system 3, he has to give an explanation, which has to be attached to the relevant documents. This explanation confirms, that there are no the specific materials, production processes or procedures (e.g. no additives of flame retarding materials, delimitation of organic components or additions of fillers), which are improving the burning behaviour to reach the obtained fire classification. As a consequence from this, the manufacturer drew the conclusion that the system 3 of the attestation of conformity systems is appropriate.

The testing laboratory therefore has played no role in the sampling procedure, although the testing laboratory keeps appropriate references from the manufacturer ready, in order to pursue the examined samples.

ÖTI - Institut für Ökologie, Technik und Innovation GmbH | Spengergasse 20, 1050 Vienna, Austria tel +43 1 5442543-0 | fax +43 1 5442543-10 | email office@oeti.at | FN 326826b | VAT No. ATU65149029 UniCredit Bank Austria AG | IBAN AT941200023410378800 | BIC BKAUATWW | EORI ATEOS1000015903 Es gelten ausschließlich unsere Allgemeinen Geschäftsbedingungen | Only our general terms and conditions apply

Member of TESTEX Group

Fire Test Certificate

Fabric: Joel Acoustic Dance

Type: EN13501-1



VN710 133282.2 + 5 / 5

7 Remarks

Validity

There are no regulations concerning duration of validity in the individual test standards. As the results of the examinations refer only to the submitted and examined samples, the report is valid for these for an unlimited period. A period of validity specified as part of an expert evaluation is in the discretion of the consultant or the ÖTI.

The applicability of results and expert evaluations for materials not tested is in the responsibility of the applicant. Whereby an apportionment of results as well as any specified period of validity can only be done for identically constructed products and only as long as the product produced unchanged.

Possible national or international restrictions concerning the terms of usability of test and classification reports have to be considered; this is not the responsibility of the test laboratory.

Sample Materia

Results of performed tests only refer to the sample material provided.

Without explicit written other agreement testing is destructive and the sample material is transferred to the property of ÖTI, which is entitled to freely decide on storage and disposal.

Issuance

The valid first issue is done in paper and has single-handed signatures. For reference purposes and filing an unsigned electronic duplicate can be delivered in pdf format. Duplicates and translations will be marked accordingly on the cover sheet.

Quality management, Accreditation and Notification

All tests and services are performed under a quality management system according to EN ISO/IEC 17025 respectively EN ISO/IEC 17065

The ÖTI is accredited as Testing Laboratory and Certification Body for products. It also is a Notified Body for several directives with the registration number 0534 (see http://ec.europa.eu/enterprise/newapproach/nando/). Accreditation as Testing Laboratory was provided by Akkreditierung Austria (bmwfw). The scope of accreditation is listed on www.bmwfw.gv.at/akkreditierung.

In this report individual non-accredited test procedures are marked with $\ensuremath{^\star}$

According to the decree on the use of the accreditation mark ("AkkZV") the accreditation mark is only to be used by the accredited Conformity Assessment Body.

Application of the registration number of the Notified Body: As to personal protective equipment (PPE) the requirements of PSA-SV § 10, BGBI. Nr. 596/1994 as amended and article 13 of the Directive 89/686/EEC have to be kept. With construction products the application is only permitted within the declaration of performance for CE-marking.

Copyright and Usage Notes

It is pointed out, that any alterations, amendments or falsifications of reports not authorized by the issuer of the report will be prosecuted as civil and criminal offences; this especially to the appropriate requirements of ABGB, UrhG, UWG and criminal law and their respective international equivalents.

Reports are protected under international copyright laws. Written consent of the ÖTI is required for publications (also in excerpt) and reference to tests for public relation purposes. Reports may only be reproduced in full length.

End of report

ÖTI - Institut für Ökologie, Technik und Innovation GmbH | Spengergasse 20, 1050 Vienna, Austria tel +43 1 5442543-0 | fax +43 1 5442543-10 | email office@oeti.at | FN 326826b | VAT No. ATU65149029 UniCredit Bank Austria AG | IBAN AT941200023410378800 | BIC BKAUATWW | EORI ATEOS1000015903 Es gelten ausschließlich unsere Allgemeinen Geschäftsbedingungen | Only our general terms and conditions apply Member of TESTEX Group

J&C Joel 迎

the inspiration behind the performance

