

The background of the entire page is a close-up photograph of vertical slat drapes. The drapes have a marbled, organic pattern in shades of yellow, gold, and black. The lighting creates strong highlights and shadows, emphasizing the texture and depth of the fabric.

# SLIT DRAPES

Perfect for: Decorative/Scenic • Stage • Film/TV

**J&C Joel | جی جی**<sup>TM</sup>  
Inspiration in every performance

[www.jcjoel.com](http://www.jcjoel.com)

## Composition and Care

**91 cm** 3

## Fire Certificates

**BS5867 Part 2 Type B** 4

**M1** 6

## TECHNICAL



**NDFR**  
**Non Durably Flame Retardant**  
chemically treated with a water solution and if wetted in any way should be retreated



**DFR**  
**Durably Flame Retardant**  
chemically treated to withstand a number of cleanings



**IFR**  
**Inherently Flame Retardant**  
woven from fibres with a high flame retardancy



**FR**  
**Flame Retardant**  
chemically treated to an individual specification



**NOT FR**  
**Not Flame Retardant** no flame retardant treatment



Confirmation that the fabric meets one or more flame retardant standards

**BS5867** BS5867 Pt2 B is the British Standard for flame retardant fabrics used for curtains and drapes

**BS5852** BS5852 Pt1 is the British Standard for flammability of upholstered composites for seating

**BS4790** BS4790: 1987 Determination of the effects of a small source of ignition on textile floor coverings hot metal nut method (method 1, loose laid)

**EN13773: 2003** Meets European fire safety standards for vertically hung fabrics. Burning behavior, ignitability testing of curtain fabric for use in the contract market.

**TL 1080-0002/8** German Military Specification for horizontally tested materials

**EN14041** Details the requirement for CE Marking of textiles, laminate and resilient floor coverings

**BS7905-1:2001** Lifting equipment for performance, broadcast and similar applications.

## ATTRIBUTES



Approx roll length of material in linear metres (m) & feet (ft)



Approx width of material in centimetres (cm) & inches (")



Approx weight in grams per metre squared (g/m<sup>2</sup>)



Approx thickness in (mm)

**M1, M2, M4** Conforms to French Fire Regulations

**B1, B2** Conforms to German Fire Regulations DIN 4102

**IMO** Conforms to International Maritime Organisation regulations

**Classe Uno** Meets Italian Fire Regulations

**BS EN13501-1** Fire Classification of construction, products and building elements. Classification using test data from reaction to fire tests






**CFC EN ISO 9239-1** Reaction to fire test. Horizontal surface spread of flame on floor covering system. Determination of the burning behaviour using a retardant heat source

**NFPA 701** NFPA 701: (USA) Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

**EN9239-1** Reaction to fire tests – horizontal surface spread of flame on floor covering systems

**DIN EN1021** Meets European fire safety standards for exposure to different ignition sources, namely a lit cigarette and butane flame. Assessment of the ignitability of upholstered furniture

To ensure you get the best from the product supplied to you, we advise you follow the care instructions within this datasheet.

Fabric	Flame Retardancy	FR
	Fire Certification	BS5867 Part 2 Type B, M1
	Brand Name (and Manufacturer)	J&C Joel Ltd.
	Material (Blending Ratio)	100% PVC Film
	Construction of Fabric	Extruded
Chemicals	Surface Treatments	None
	Brand Name of Flame Retardant Chemicals	N/A
	Chemical name of Flame Retardant Chemicals	N/A
	Process of Flame Retardant Chemicals	N/A
Care	Information	Flame Retardant to BS5867 Part 2 Type B and M1. This means that the PVC film is flame retardant for life and if wet would not need to be re-flameproofed.
	Laundering Treatment	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> Do Not Dry Clean</div> <div style="text-align: center;"> Do Not Wash</div> <div style="text-align: center;"> Do Not Bleach</div> <div style="text-align: center;"> Do Not Iron</div> <div style="text-align: center;"> Do Not Tumble Dry</div> </div>
Notes	<b>MTO:</b> This product can be made to order to the desired length and width.	



Fire Rating:  
FR



Approx Roll Length:  
Varies



Width:  
91cm / 36"



Weight:  
Varies



Fire Certification:  
BS5867 Part 2  
Type B, M1



Colour Available  
4



United Kingdom



+44 1422 833835



uksales@jcjoel.com



United Arab Emirates



+971 4 884 7801



menasales@jcjoel.com

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: BS5867 Part 2 Type B

**J&C Joel**   
Inspiration in every performance



## TEST CERTIFICATE

DATE SUBMITTED: 09-MAY-2017  
DATE ISSUED: 10-MAY-2017  
REPORT NO: 42671  
COMPANY ORDER NUMBER: ShimGloss

### CUSTOMER SAMPLE DESCRIPTION

FIBRE COMPOSITION:	Rigid PVC
SAMPLE QUALITY/BATCH:	Gloss
SAMPLE DESCRIPTION:	Rigid PVC Film with Gloss Colour Pigment
SAMPLE COLOUR:	Gloss
SAMPLE END USE:	Entertainment Industry
FABRIC CUSTOMER:	Not Stated

### FIRE TEST REQUESTED:

(Confidential Report)

BS 5867: 2008 Part 2 Type B Flammability requirements (fabrics for curtains, drapes and window blinds) in accordance with BS EN ISO 15025:2002 Procedure A (surface ignition). Protective clothing – Protection against heat and flame – Method of test for limited flame spread.

### LAUNDERING PROCEDURE:

Sample was tested as received after the appropriate conditioning requirements

### CONDITIONING PRIOR TO TESTING:

The sample specimens were conditioned immediately prior to testing for @ least 24 h at 65 +/- 5% r h and 20 +/- 2 °C

Authorised signature:


John A. ...  
Technical Manager


Please note: this test results issued on this certificate refer only to the item tested and therefore doesn't relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.


Page 1 of 2

Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN  
T: 01204 840086 F: 01204 840524 E: technical@ifs-labs.com





 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: BS5867 Part 2 Type B

**J&C Joel**   
Inspiration in every performance



## TEST CERTIFICATE

DATE SUBMITTED: 09-MAY-2017  
DATE ISSUED: 10-MAY-2017  
REPORT NO: 42671  
COMPANY ORDER NUMBER: ShimGloss

### PROCEDURE:

The specimens were tested directly after the appropriate conditioning requirements (as stated on page one), three samples were tested in the length (warp) direction & three in the width (weft) direction using a flame application time of 15 seconds in accordance with Type B

### REQUIREMENTS:

Type B: No part of any hole nor any part of the lowest boundary of any flame shall reach the upper edge or either vertical edge of any specimen and there shall be no separation of any flaming debris from any specimen.

DATE OF TEST: 10-May-2017

### RESULTS:

The test results may not apply in situations where there is restricted air supply or prolonged exposure to large sources of intense heat as in a conflagration.

Specimen Reference Face tested	Orientation of test specimen					
	Fabric length direction			Fabric width direction		
Specimen designation	1	2	3	4	5	6
	↑	↓	↑	→	←	→
Application time (s)	15	15	15	15	15	15
Hole formed (Y/N)	Yes	Yes	Yes	Yes	Yes	Yes
Hole reached edge (Y/N)	No	No	No	No	No	No
Flame reached edge (Y/N)	No	No	No	No	No	No
Flaming debris (Y/N)	No	No	No	No	No	No
Damage length mm	14	25	15	18	16	25
Damage width mm	32	62	31	62	65	67
Result	Pass	Pass	Pass	Pass	Pass	Pass

### CONCLUSION

Flammability **complies** with the requirements of BS5867-2: 2008 type B


**RESULT: PASS**


Please note: this test results issued on this certificate refer only to the item tested and therefore doesn't relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.


Page 2 of 2

Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN  
T: 01204 840086 F: 01204 840524 E: technical@ifs-labs.com





 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance



 **warringtonfiregent**  
global safety

## TEST REPORT No. 18274A

As a basis for a general report for the building and housing inspection

Valid until 08-07-2021

Date of order:	06-06-2016
Date of sampling:	06-2016
Arrival of the samples:	13-06-2016
Date of test :	30-06-2016

### Order

"Fire"-test (Building material class M1) according to NF P 92-512 (1986)


### Regulations concerning the test report

NF P92-512 (1986)


### Result of the tests

The material has met the demands for non-readily ignitable building materials.

SIGNED

	C. Kissel Project assistant Ghent 2016-07-08 11:02:26
---	--

APPROVED

	M. van Heiden Project leader Ghent 2016-07-08 12:23:46
---	---

The results of the tests apply only on the materials mentioned in this report


**This report consists of 9 pages, including 3 annexes.**


This document is the original version of this test report and is written in English.  
This report may be used only literally and completely for publications. - For publications of certain texts, in which this report is mentioned, our permission must be obtained in advance.  
The authenticity of the electronic signatures is assured by Belgium Root CA.




WFRGENT NV is een spin-offbedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT NV is a spin-off company from the University of Ghent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT SA est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 [uksales@jcjoel.com](mailto:uksales@jcjoel.com)

 United Arab Emirates

 +971 4 884 7801

 [menasales@jcjoel.com](mailto:menasales@jcjoel.com)

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

Test Report No. 18274A  
Page 2 of 9

## 1. IDENTIFICATION OF THE PRODUCT

Commercial name:

Description of the material: Rigid PVC Film (Polyvinylchloride) for production of various kinds of decoration, different colours

Description of the material		
	Nominal values (*)	Measured values (**)
Thickness (mm)	0,035 - 0,300	0,1
Surface mass (g/m <sup>2</sup> )	97,65 (***)	96

(\*) based on the information of the sponsor.

(\*\*) values verified by the laboratory.

(\*\*\*) surface mass of the product with thickness 0,07 mm.

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance

 **warringtonfiregent**  
global safety

Test Report No. 18274A  
Page 3 of 9

## 2. TEST RESULTS


### 2.1. Fire test according to NF P 92-512 (1986)


Result of the „Fire“-test (part 1)			
Sample:	Measured values for the 3 samples		
	A	B	C
1 <u>Number of sample-classification</u> according to NF P 92-512 Table 1	1	1	1
2 <u>Maximum height of flame</u> from the bottom of the sample cm	50	50	50
3 <u>at time (1)</u> min : s	00:28	00:28	00:28
4 <u>Melting through/ Burning through</u> at time (1) min : s	00:01	00:01	00:01
5 <u>Observations on the backside of the sample</u> Flames/glowing at time (1) min : s	00:01	00:01	00:01
6 <u>Colouring</u> at time (1) min : s	-	-	-
7 <u>Flaming droplets</u> Start at (1) min : s	-	-	-
Dimension : 8 <u>Single falling droplets</u>	-	-	-
9 <u>Continuous falling droplets</u>	-	-	-
<u>Falling of burning particles</u> 10 Start at (1) min : s	-	-	-
Dimension : 11 <u>Single falling of burning particles</u>	-	-	-
12 <u>Continuous falling of burning particles</u>	-	-	-
13 <u>Afterburning on the floor (Max)</u> min : s	-	-	-
<u>Diminishing of the burner flame due to falling material</u> 14 at time (1) min : s	-	-	-
<u>Early termination of test</u> 15 <u>Stop of flaming of the sample (1)</u> min	-	-	-
16 <u>Time of termination (1)</u> min : s	-	-	-

(1) Time-indication from the start of the test  
- Didn't occur


WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance

 warringtonfiregent  
global safety


Test Report No. 18274A


Page 4 of 9


Result of the „Fire“-test (part 2)						
Sample:	Measured values for the 3 samples					
	A		B		C	
<u>Afterburning after the end of the test</u>						
17 Duration min : s	-	-	-	-	-	-
18 Number of samples	-	-	-	-	-	-
19 Front side of the sample	-	-	-	-	-	-
20 Back side of the sample	-	-	-	-	-	-
21 Length of the flames cm	-	-	-	-	-	-
<u>Afterglowing after the end of the test</u>						
22 Duration min:s	-	-	-	-	-	-
23 Number of Samples	-	-	-	-	-	-
Place of occurring:	-	-	-	-	-	-
24 Top half of the sample	-	-	-	-	-	-
25 Bottom half of the sample	-	-	-	-	-	-
26 Front side of the sample	-	-	-	-	-	-
27 Back side of the sample	-	-	-	-	-	-
<u>Smoke attenuation</u>						
28 < 400 % x min	2,2405	7,0923	5,0102			
29 > 400 % x min	-	-	-			
30 Graph in Annex Nr.	1	2	3			
<u>Lengths at the end of the test</u>						
31 Separate values cm	> 50	> 50	> 50	> 50	> 50	> 50
	> 50	> 50	> 50	> 50	> 50	> 50
32 Average of the separate measurements cm	> 50	> 50	> 50			
<u>Smoke gas temperature</u>						
33 Max of the average values °C	97,03	98,38	101,23			
34 at time (1) min:s	9:59	9:59	9:50			
35 Graph in Annex Nr.	1	2	3			
36 <u>Remarks</u>						

- (1) Time- indication from the start of the test  
- Didn't occur


WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance

Test Report No. 18274A  
Page 5 of 9

 **warringtonfiregent**  
global safety

## 2.2. Surface exposure of the test material


Test No.	1	2	3	4	5
Ignition (s)	1	1	1	1	1
Reaching the test-mark (s)	No	No	No	No	No
Self-extinction (s)	3	2	2	3	2
Extinguished after (s)	-	-	-	-	-
Maximum Flame height within the first 20s (cm)	30	30	30	25	20
reached after (s)	3	2	2	3	2
Smoke development	Low	Low	Low	Low	Low
Time of flaming droplets (s)	No	No	No	No	No


## 2.3. Side exposure of the test material

Test No.	1	2	3	4	5
Ignition (s)	1	1	1	1	1
Reaching the test-mark (s)	No	No	No	No	No
Self-extinction (s)	2	3	3	2	3
Extinguished after (s)	-	-	-	-	-
Maximum Flame height within the first 20s (cm)	25	30	25	30	30
reached after (s)	2	3	3	2	3
Smoke development	Low	Low	Low	Low	Low
Time of flaming droplets (s)	No	No	No	No	No


WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance

Test Report No. 18274A  
Page 6 of 9

 **warringtonfiregent**  
global safety

### 3. ASSESSMENT

The building material, described on page 2, has complied with the requirements for non-readily ignitable building materials Class M1 according to the standard NF P 92-512 (Edition 1986)

### 4. SPECIAL REMARK

- 4.1 The results of this fire test are valid only for the building product as described on page 2. In connection with other building materials its fire behaviour can be influenced unfavourably.
- 4.2 This test report does not replace the compulsory general approval of the building inspection. It serves as a basis for the prescribed use approval.

SPECIMEN

WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie



United Kingdom



+44 1422 833835



uksales@jcjoel.com



United Arab Emirates



+971 4 884 7801



menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1

**J&C Joel**   
Inspiration in every performance

Test Report No. 18274A


Page 7 of 9

Annex 1

 **warringtonfiregent**  
global safety


## Graph of Smoke Attenuation for Sample A

Smoke (%.min)





## Graph of Smoke Gas Temperature for Sample A


Temperature (°C)




WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 [uksales@jcjoel.com](mailto:uksales@jcjoel.com)

 United Arab Emirates

 +971 4 884 7801

 [menasales@jcjoel.com](mailto:menasales@jcjoel.com)

[www.jcjoel.com](http://www.jcjoel.com)

# Fire Test Certificate - Specimen


Fabric: Slit Drapes

Type: M1

Test Report No. 18274A  
Page 8 of 9  
Annex 2


## Graph of Smoke Attenuation for Sample B

Smoke (%.min)





## Graph of Smoke Gas Temperature for Sample B


Temperature (°C)





WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire - Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 [uksales@jcjoel.com](mailto:uksales@jcjoel.com)

 United Arab Emirates

 +971 4 884 7801

 [menasales@jcjoel.com](mailto:menasales@jcjoel.com)

# Fire Test Certificate - Specimen

Fabric: Slit Drapes

Type: M1


**J&C Joel**   
Inspiration in every performance

Test Report No. 18274A  
Page 9 of 9  
Annex 3

 **warringtonfiregent**  
global safety


## Graph of Smoke Attenuation for Sample C

Smoke (%.min)





## Graph of Smoke Gas Temperature for Sample C


Temperature (°C)




WFRGENT nv is een spin-off bedrijf van de Universiteit Gent, voorheen Laboratorium voor Aanwending der Brandstoffen en Warmteoverdracht - Afdeling Brandveiligheid WFRGENT nv is a spin-off company from the University of Gent, previously the Laboratory for Heat Transfer and Fuel Technology - Division Fire Safety  
WFRGENT sa est une compagnie spin-off de l'Université de Gand, autrefois le Laboratoire pour l'Emploi des Combustibles et la Transmission de la Chaleur - Division Sécurité Incendie


 United Kingdom

 +44 1422 833835

 uksales@jcjoel.com

 United Arab Emirates

 +971 4 884 7801

 menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)



United Kingdom



+44 1422 833835



uksales@jcjoel.com



United Arab Emirates



+971 4 884 7801



menasales@jcjoel.com

[www.jcjoel.com](http://www.jcjoel.com)