


Trevira CS String Drape

Perfect For: • Decorative/Scenic • Film & TV • Stage



J&C Joel 

the inspiration behind the performance

Contents

Composition & Care

*from 1m wide 3

Fire Certificate

B1 4

TECHNICAL



NDFR

Non Durably Flame Retardant

chemically treated with a water solution and if wetted in any way should be retreated



DFR

Durably Flame Retardant

chemically treated to withstand a number of cleanings



IFR

Inherently Flame Retardant

woven from fibres with a high flame retardancy



FR

Flame Retardant

chemically treated to an individual specification



NOT FR

Not Flame Retardant no flame retardant treatment



Confirmation that the fabric meets one or more flame retardant standards

BS5867 BS5867 Pt2 B is the British Standard for flame retardant fabrics used for curtains and drapes

BS5852 BS5852 Pt1 is the British Standard for flammability of upholstered composites for seating

BS4790 BS4790: 1987 Determination of the effects of a small source of ignition on textile floor coverings hot metal nut method (method 1, loose laid)

EN13773: 2003 Meets European fire safety standards for vertically hung fabrics. Burning behavior, ignitability testing of curtain fabric for use in the contract market.

TL 1080-0002/8 German Military Specification for horizontally tested materials

EN14041 Details the requirement for CE Marking of textiles, laminate and resilient floor coverings

BS7905-1:2001 Lifting equipment for performance, broadcast and similar applications.

ATTRIBUTES



Approx roll length of material in linear metres (m) & feet (ft)



Approx width of material in centimetres (cm) & inches (")



Approx weight in grams per metre squared (g/m²)



Approx thickness in (mm)

M1, M2, M4 Conforms to French Fire Regulations

B1, B2 Conforms to German Fire Regulations DIN 4102

IMO Conforms to International Maritime Organisation regulations

Classe Uno Meets Italian Fire Regulations

BS EN13501-1 Fire Classification of construction, products and building elements. Classification using test data from reaction to fire tests

CFC EN ISO 9239-1 Reaction to fire test. Horizontal surface spread of flame on floor covering system. Determination of the burning behaviour using a retardant heat source

NFPA 701 NFPA 701: (USA) Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

EN9239-1 Reaction to fire tests – horizontal surface spread of flame on floor covering systems

DIN EN1021 Meets European fire safety standards for exposure to different ignition sources, namely a lit cigarette and butane flame. Assessment of the ignitability of upholstered furniture

Datasheet - Fabrics & Flooring

Trevira CS String Drape

To ensure you get the best from the product supplied to you, we advise you follow the care instructions within this datasheet.


Fabric	Flame Retardancy	IFR Trevira CS
	Fire Certification	BS5867 Part 2 Type B, B1, EN13501-1
	Brand Name (and Manufacturer)	J&C Joel Ltd.
	Material (Blending Ratio)	100% Polyester Trevira
	Construction of Fabric	Woven String
Chemicals	Surface Treatments	None
	Brand Name of Flame Retardant Chemicals	N/A
	Chemical name of Flame Retardant Chemicals	N/A
	Process of Flame Retardant Chemicals	N/A
Care	Information	Inherently Flame Retardant to BS5867 Part 2 Type B, B1 and EN13501-1. This means that the man-made fibres are flame retardant for life and if wet, would not need to be re-flameproofed. Therefore, the cloth will withstand wet cleaning but we would advise and suggest professional dry cleaning only, using the correct chemical process. Notwithstanding the aforementioned, it would be our advice to only dry clean this material periodically. We would suggest that the curtain be soft-brushed on a regular basis and periodically cleaned using a vacuum and drapery attachment. This fabric is not pre-shrunk.
	Laundering Treatment	     Dry Clean Only Do Not Wash Do Not Bleach Do Not Iron Do Not Tumble Dry
Notes		MTO: This product can be made to order to the desired length and width.



Fire Rating:
IFR Trevira CS



Approx Roll Length:
Varies



Width:
From 1m wide



Weight:
Varies



Fire Certification:
BS5867, B1,
EN13501-1



Colours
Available

For further information please contact our sales team sales@jcjoel.com

Fire Test Certificate – Specimen

Fabric: Trevira CS String Drape
Type: B1

Trevira-Markenantrag Pagina 1 di 2

Richiesta di autorizzazione all'utilizzo del Marchio TREVIRA®

Trevira
THE FIBRE COMPANY
Trevira GmbH
Markenprüfung /
Trademark Testing
Technikum, Gebäude 515
Max-Fischer-Straße 11
D-86399 Bobingen

Nome / Firma 21.11.14 Pietro Fattori

Marchio Trevira CS

Settore di applicazione Tendaggi

Indicazioni varie --

Composizione 100% Trevira CS

Peso del tessuto (g/mq) 195

Indicazioni sul filato Catena

Finezza del filato 167 dtex Trevira CS

Trevira Tipo 167F64X2

Fornitore del filato Trevira Italia

	Trama 1	Trama 2	Trama 3
Finezza del filato	--	--	--
Trevira Tipo	--	--	--
Fornitore del filato	--	--	--

Omologazione: 30.12.2014
(L'autorizzazione all'utilizzo del Marchio è valida per un periodo di 5 anni dalla data di concessione della stessa).
Il Vostro articolo SILVIA EVENT ha ottenuto la concessione al marchio Trevira CS numero 142141.
Il presente articolo è stato testato secondo la norma DIN 4102 parte 1 ed ha raggiunto la classe B1.

08.01.2015 
Trevira GmbH, Trademark Service

Fire Test Certificate – Specimen

Fabric: Trevira CS String Drape
Type: B1

Trevira-Markenantrag

Pagina 1 di 2

Antrag auf Freigabe der Marke Trevira®

Trevira
THE FIBRE COMPANY

Trevira GmbH
Markenprüfung /
Trademark Testing
Technikum, Gebäude 515
Max-Fischer-Straße 11
D-86399 Bobingen


Name / Unterschrift	21.11.14 Pietro Fattori		
Marke	Trevira CS		
Einsatzgebiet	Gardinen		
Sonstige Angaben	--		
Zusammensetzung (TKG)	100% Trevira CS		
Flächengewicht (g/qm)	195		
Angaben zu Garnen	Kette		
Garnfeinheit	167 dtex Trevira CS		
Trevira Typenbezeichnung	167F64X2		
Garnlieferant	Trevira Italia		
	Schuss 1	Schuss 2	Schuss 3
Garnfeinheit	--	--	--
Trevira Typenbezeichnung	--	--	--
Garnlieferant	--	--	--

Freigabe: 30.12.2014

(Diese Markenfreigabe ist gültig für einen Zeitraum von 5 Jahren ab Freigabedatum).

Der geprüfte Artikel SILVIA EVENT mit der Antragsnummer 142141 erhält die Freigabe für die Marke Trevira CS.

Der vorliegende Artikel wurde nach DIN 4102 Teil 1 geprüft und erfüllte die Bedingungen der Brandklasse B1.

08.01.2015 

Trevira GmbH, Trademark Service

Fire Test Certificate – Specimen

Fabric: Trevira CS String Drape
Type: B1

J&C Joel 
the inspiration behind the performance

Trevira-Markenantrag Pagina 1 di 2

Application for approval of the trademark
TREVIRA®

Trevira
THE FIBRE COMPANY

Trevira GmbH
Markenprüfung /
Trademark Testing
Technikum, Gebäude 515
Max-Fischer-Straße 11
D-86399 Bobingen

Name / Signature	21.11.14 Pietro Fattori		
Trademark	Trevira CS		
End Use	Net Curtains		
Other uses	--		
Composition	100% Trevira CS		
Fabric weight (g/sm)	195		
Yarn Details	Warp		
Yarn titre/ count	167 dtex Trevira CS		
Trevira Type	167F64X2		
Yarn supplier	Trevira Italia		
	Weft 1	Weft 2	Weft 3
Yarn titre/ count	--	--	--
Trevira Type	--	--	--
Yarn supplier	--	--	--

Approval: 30.12.2014
(This Trademark approval is valid for a period of 5 years from the date of issue).
The tested article SILVIA EVENT with application no. 142141 is granted approval for the trademark Trevira CS.

This article has been tested according to DIN 4102 part 1 and qualifies for class B1.

08.01.2015 
Trevira GmbH, Trademark Service

Fire Test Certificate – Specimen

Fabric: Trevira CS String Drape
Type: B1

J&C Joel 
the inspiration behind the performance

Trevira-Markenantrag Pagina 1 di 2

Demande d'autorisation pour l'utilisation de la marque TREVIRA®

Trevira
THE FIBRE COMPANY

Trevira GmbH
Markenprüfung /
Trademark Testing
Technikum, Gebäude 515
Max-Fischer-Straße 11
D-86389 Bobingen

Nom / Signature	21.11.14 Pietro Fattori		
Marque	Trevira CS		
Domaine d'utilisation	Voilages et rideaux		
Autres informations	--		
Composition de l'article	100% Trevira CS		
Poids de l'article au m2	195		
<u>Informations sur le filé de fibre ou le fil continu</u>	Chaîne		
Titre	167 dtex Trevira CS		
Référence du type de Trevira	167F64X2		
Fournisseur du filé de fibre ou du fil continu	Trevira Italia		
	Trame 1	Trame 2	Trame 3
Titre	--	--	--
Référence du type de Trevira	--	--	--
Fournisseur du filé de fibre ou du fil continu	--	--	--

Acceptation: 30.12.2014
(L'autorisation d'utilisation de la marque est valable pour une durée de 5 ans à partir de la date d'autorisation).
L'article testé SILVIA EVENT sous le N° 142141 a obtenu l'homologation pour la marque Trevira CS.

L'article présenté a été testé selon la norme DIN 4102 partie 1 et a rempli les conditions de la classe B1.

08.01.2015 
Trevira GmbH, Trademark Service

Fire Test Certificate – Specimen

Fabric: Trevira CS String Drape
Type: B1

Trevira-Markenantrag Pagina 1 di 2

Solicitud de autorización de la marca
TREVIRA®

Trevira
THE FIBRE COMPANY

Trevira GmbH
Markenprüfung /
Trademark Testing
Technikum, Gebäude 515
Max-Fischer-Straße 11
D-86399 Bobingen

Nombre y apellidos / Firma	21.11.14 Pietro Fattori		
Marca	Trevira CS		
Campo de aplicación	Cortinas		
Otros datos	--		
Composición	100% Trevira CS		
Peso de la superficie	195		
Datos de los hilos	Urdimbre		
Finura del hilo	167 dtex Trevira CS		
Trevira Tipo	167F64X2		
Proveedor del hilo	Trevira Italia		
	Trama 1	Trama 2	Trama 3
Finura del hilo	--	--	--
Trevira Tipo	--	--	--
Proveedor del hilo	--	--	--

Autorización: 30.12.2014 (La autorización de la marca se obtiene por un plazo de 5 años a partir de la fecha de autorización).
El artículo analizado **SILVIA EVENT** con el número de solicitud 142141 obtiene la autorización para el uso de la marca Trevira CS.

En los ensayos de combustión realizados según la norma alemana DIN 4102 Parte 1, el presente artículo ha obtenido la clasificación **B1**.

08.01.2015 
Trevira GmbH, Trademark Service

J&C Joel

the inspiration behind the performance



J&C Joel United Kingdom - HQ
uksales@jcjoel.com



J&C Joel Europe
eusales@jcjoel.com




J&C Joel Middle East
uaesales@jcjoel.com



J&C Joel Vietnam
asiasales@jcjoel.com



J&C Joel Macau
asiasales@jcjoel.com



J&C Joel Hong Kong
asiasales@jcjoel.com

www.jcjoel.com